



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/598,984	06/21/2000	Besma Kraiem	450117-02628	6533
20999	7590	10/31/2003	EXAMINER	
FROMMER LAWRENCE & HAUG 745 FIFTH AVENUE- 10TH FL. NEW YORK, NY 10151			LY, NGHI H	
		ART UNIT		PAPER NUMBER
		2686		
DATE MAILED: 10/31/2003				

16

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/598,984	KRAIEM ET AL.	
	Examiner	Art Unit	
	Nghi H. Ly	2686	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 05/30/2003.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-18 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) The translation of the foreign language provisional application has been received.
- 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- | | |
|--|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ . |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ . | 6) <input type="checkbox"/> Other: _____ . |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-14 and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Wellard et al (US 5,862,477).

Regarding claims 1, 13 and 18, Wellard teaches method to create a topology map indicating the quality of connectivity of each network device of a wireless network with all other network devices in the wireless network (see abstract), characterized by the following step: performing a measurement phase in which a calibration signal is successively broadcasted by each network device (see fig.2) and in which all respective other network devices receiving the calibration signal measure the received signal quality (see column 3 lines 14-30) and performing a reporting phase in which the measurement results are transmitted from each network device to the network device creating the topology map, and performing a creating phase in which the topology map of the network is created within the network device creating the topology map on basis of all received measurement results (also see column 3 lines 14-30).

Regarding claim 2, Wellard further teaches the calibration signal is transmitted in a dedicated control channel (see column 4 lines 52-57).

Regarding claim 3, Wellard further teaches the measurement results are reported in a respective dedicated control channel (see column 4 lines 52-57).

Regarding claim 4, Wellard further teaches the calibration signal is transmitted with the maximum allowed transmit power level (see column 6 lines 29-33).

Regarding claim 5, Wellard further teaches the topology map is updated when a new network device joins the network (see column 8 line 58 to column 9 line 3).

Regarding claim 7, Wellard further teaches topology map is stored in the central controller (see column 3 lines 60-65).

Regarding claim 8, Wellard further teaches topology map is broadcasted in the whole network (see fig.2).

Regarding claim 9, Wellard further teaches only the parts of the topology map related to a specific network device are transmitted to specific network device (see column 5 lines 46-52).

Regarding claim 11, Wellard further teaches the contents of the topology map are codes that are mapped to receive power values (see column 3 lines 25-28).

Regarding claim 12, Wellard further teaches the measurement phase and/or reporting phase is initiated by the network device creating the topology map (see column 3 lines 14-28).

Regarding claim 14, Wellard further teaches characterized in that the functions are performed on demand of another network device or on an internal demand (see column 3 lines 14-30).

3. Claims 13-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Feng (US 5,374,936).

Regarding claim 13, Feng teaches network device for a wireless network (see fig.2), characterized by means to broadcast a calibration signal (see column 1 line 65 to column 2 line 2), to measure a power level of a received calibration signal (see column 2 lines 18-21), and to transmit its measurement results to another network device (see column 2 lines 21-26).

Regarding claim 14, Feng further teaches characterized in that the functions are performed on demand of another network device or on an internal demand (see abstract).

Regarding claim 15, Feng further teaches characterized by a calibration decoder (see fig.3 box 28 and box 32) that initiates the broadcast of a calibration signal and the measurement of the reception quality of one or more incoming calibration signals upon reception of a measurement control signal (see column 2 lines 18-21).

Regarding claim 16, Feng further teaches characterized in that the calibration decoder (see fig.3 box 28 and box 32) initiates the transmission of one or more measurement results upon reception of a reporting control signal (see column 2 lines 18-21 and see fig.2 multiple arrows or multiple output or input from each device).

Regarding claim 17, Feng further teaches characterized by a report encoder (see fig.3 box 28 and box 32) that receives one or more signal quality indication signals and encodes therefrom a signal quality control signal to be transmitted to the other network device (see fig.2 multiple arrows or multiple output or input from each device).

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wellard et al (US 5,862,477) in view of Pelech et al (US 6,243,585).

Regarding claim 6, Wellard teaches the method according to claim 1. Wellard does not specifically disclose the topology map is updated after a predetermined amount of time. Pelech teaches the topology map is updated after a predetermined amount of time (see column 10 lines 10-19). Therefore, it would have been obvious to

one of the ordinary skill in the art at the time the invention was made to provide the above teaching of Pelech to the system of Wellard so that there is little or no interruption in service to the wireless terminals (see column 10 lines 16-19).

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wellard et al (US 5,862,477) in view of Jennings,III (US 6,173,191).

Regarding claim 10, Weelard teaches the method according to claim 1. Wellard does not specifically disclose the calibration signal is transmitted using an omni-directional antenna. Jennings teaches the calibration signal is transmitted using an omni-directional antenna (see Column 3 lines 65-67 and see column 14 lines 13-16). Therefore, it would have been obvious to one of the ordinary skill in the art at the time the invention was made to provide the above teaching of Jennings into the system of Wellard in order to transmit the calibration signal in all direction.

Response to Arguments

8. Applicant's arguments filed 05/30/2003 have been fully considered but they are not persuasive.

On pages 7 and 9 of applicant's remarks, applicant argues that Wellard does not teach the creation of a topology map with regard to devices of wireless network.

The examiner, however, disagrees. Wellard does indeed teaches this claimed limitations (see Abstract, “to establish the topology of the system”) and (see column 4, lines 39-49, “In pico-cellular wireless systems”) and (see column 4, lines 57-59,

"Handoff from one CFP 10 to another, as the CPP 18 moves from one cell to another, is well known in the cellular field"). Therefore, Wellard teaches the creation of a topology map with regard to devices of wireless network. In addition, applicant's attention is directed to the rejection of claims 1, 13 and 18 above.

On the same page (page 7) of applicant's remarks, applicant further argues that the "signature" of Wellard is not indicative of quality of connectivity between respective devices of a wireless network.

The examiner, however, disagrees. In Wellard, (column 5, lines 47-49) which clearly teaches "to establish the RSSI Signature during the initialization sequence, each CFP 10 sequentially transmits a test signal under control of the CCU14" and (see column 9, lines 58-60, which also teaches "measuring and recording the received signal strengths of test signals transmitted in turn by each base station, that are received by the other base stations"). In this case, the signal strength of Wellard reads on applicant's quality of connectivity. Therefore, Wellard does indeed teach the "signature" is indicative of quality of connectivity between respective devices of a wireless network.

On the pages 8 and 9 of applicant's remarks, applicant further argues that Wellard fails to teach measuring and reporting phase of claim 1.

The examiner, however, disagrees. Wellard does in deed teach this claimed limitation (see column 9, lines 58-60, which clearly teaches "measuring and recording the received signal strengths of test signals transmitted in turn by each base station, that are received by the other base stations"). In this case, "transmitted in turn by each

Art Unit: 2686

base station, that are received by the other base stations" of Wellard reads on applicant's reporting phase.

On the same page (page 8) of applicant's remarks, applicant further argues that Wellard fails to teach storing the measurement results internally.

The examiner, however, disagrees. Wellard does in deed teach this claimed limitation (see column 9, lines 58-60, which clearly teaches "measuring and recording the received signal strengths of test signals transmitted in turn by each base station, that are received by the other base stations"). In this case, recording of Wellard reads on applicant's storing the measurement results.

On the same page (page 8) of applicant's remarks, applicant further argues that Feng fails to address the problem of improving the quality of connectivity between network devices communicating in a wireless network, e.g., in direct mode.

The examiner, however, disagrees. Feng does in deed teach the wireless network (see fig.2 wireless connection between stations) in direct mode (also see fig.2 wireless connection between stations). Furthermore, in response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., improving the quality of connectivity) are not recited in the rejected claim(s) (claim 13). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

On page 9 of applicant's remarks, applicant further argues that Feng does not teach a network device that comprises both means to broadcast a calibration signal and means to measure a power level of received calibration signal.

The examiner, however, disagrees. Feng does in deed teach broadcasting a calibration signal (see column 1, lines 64-68, which clearly teaches "Each of the relay stations receives this first calibration signal and immediately send out a second calibration signal") and means to measure a power level of received calibration signal (see column 10, lines 43-45 which also teaches "an intensity meter responsive to said receiver for measuring a signal strength of said alarm signal and a calibration signal"). In this case, measuring a signal strength of Wellard reads on applicant's measure a power level.

On page 9 of applicant's remarks, applicant further argues that Feng does not teach storing the measurement results internally.

The examiner, however, disagrees. Claim 13 recites "and to transmit its measurement to another network device or to store it internally." In this case, the term "or" means either 1 of the 2. Therefore, the examiner selected "to transmit its measurement to another network device" and made a rejection.

On page 10 of applicant's remarks, applicant further argues that neither Pelech nor Jennings can cure the deficiencies of Wellard and Feng with respect to claims 1, 13 and 18.

The examiner, however, disagrees. The combination of Pelech, Jennings, Wellard and Feng does indeed teach applicant's claimed inventions. In addition, applicant's attention is directed to the rejection of claims 1, 13 and 18 above.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nghi H. Ly whose telephone number is (703) 605-5164. The examiner can normally be reached on 8:30 am-5:30 pm Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on (703) 305-4379. The fax phone

Art Unit: 2686

number for the organization where this application or proceeding is assigned is (703)
872-9306.

Any inquiry of a general nature or relating to the status of this application or
proceeding should be directed to the receptionist whose telephone number is (703) 305-
3900.

Nghi H. Ly



10/20/03

Marsha D Banks-Harold

MARSHA D. BANKS-HAROLD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600